

**Gunjan and Associates.**  
**Architects, Engineers, Interiors &**  
**Landscape Designers.**  
3/55, Vipul Khand, Gomti Nagar,  
Lucknow-226010.  
Phone: 0522-2303118, 9839018489  
**E-Mail: arunjan@yahoo.com**

**BILL OF QUANTITY FOR THE PROPOSED FURNISHING WORK  
FOR BANK OF INDIA AT GAURIBAZAAR**

<b>S.NO.</b>	<b>Description of item</b>	<b>Unit</b>	<b>Qty.</b>	<b>Rate</b>	<b>Amount</b>
<b>1</b>	<b>False Ceiling</b> providing & fixing false ceiling 12.5 mm thick gypsum plaster board of approved make in required from including all offsets suspended from the R.C.C. ceiling with strap hangers with suspension system of approved make with G.I. perimeter channels( of gypboard) along the ceiling screwed & fixed to the wall/partition with raul plugs & screws, G.I. intermediate channel(gypboard) fixed @ 1200 c/c (max) flanges fixed to intermediate section @ 450 c/c (max) 12.5 mm tapered edge gypboard screwed & fixed to ceiling section with 25 mm dry wall screws at 300 mm c/c (max) & as per manufacturer's specifications together with making provisions for lights , fans AC diffusers etc. including a primer coat of manufacturer. The work shall include all materials, labour,T&P taxes , levies etc completed to the satisfaction of the architect This will include painting the ceiling with two coats of winter white (code - 00015 ) colour emulsion of Nerolac.The ceiling height from the floor is 8'-6".				
		Sft.	855.00		

## 2 Facade of Entrance Door-Refer Dwg. No. 11

Providing and fixing in position Aluminium Composite panel Boxing with PVDF coating & LDPE Core laminated Eurobond/ Alcobond/ Alukbond Exterior Grade 4 mm thick with composite of (0.5mm-3mm-0.5mm) including fabrication for the same with aluminium sections, required hardware, silicon sealant (Dow corning 789) masking tape, necessary scaffolding etc. as detail in drawing no. (11) complete in all respects.

Sqft. 70.00

## 3 Painting

A

Providing & applying of white plastic emulsion paint of as in paints/ ICI Dulux/ Berger and sporty Yellow-X104 shade of royal luxury Emulsion of asain paints in minimum 2 coats including scrapping, opening of existing cracks, filling up of "V" cracks with epoxy expandable putty to required depth, making good weak plastered/ unplastered surfaces with cement plaster wherever required. item to include plaster of paris, primer, putti & making good existing surface to receive new paint including cleaning on completion of painting work etc. complete in all respects.

Sqft 1000.00

B

Painting of the same specification as above except that the above mentioned area will be Oil of Bound Distemper.(Safe room, toilets, RECORD room, Stationary and ceiling also)

Sqft 1132.50

**4 Entrance door**

Providing and fixing entrance door (glazed) as per drawing no.11 in silver Anodised aluminium door section (Jindal make) in top and bottom, glazed with 12 mm thick glass of approved make with etching and frosting. Item to include floor springs lock, all necessary hardware of stainless steel finish as approved by the project consultant/ bank complete in all respects.

Sqft. 35.00

**5 Front office Counter**

Providing and fixing in position front office counter 2'-6" wide as per drawing no. (1-A,1-B,1-C,1-D & 15) comprising of the following complete in all respect :-

i) Working top made with 19 mm thick plywood/ commercial board finished with 1 mm thick laminate. Outside Edge of the working top shall be provided with 1 1/4" X 1" Teak wood moulding finished with melamine polish. Inside edge will be provided with 1/2" X 1" T.W. beading patti with melamine finish.

ii) Vertical fascia (Apron) made with 18 mm thick plywood/ commercial board finished with 1 mm thick laminate with 1 mm thick Groove at the joint of laminates of two different shades

iii) Vertical drop (horizontal band) shall be provided on the fascia below the working top made with 18 mm thick plywood/ commercial board finished with 1 mm thick laminate with provision for concealed light, 1 mm thick groove shall be provided at the joint of two different shades of laminate.

iv) Glazed partition above working top to be provided with 12 mm thick clear glass cut to the standard shape fixed to partition as per fixing detail and to boxing with concealed S.S finished 'D' brackets as shown in the drawing. The exposed edges of the glass shall be finished in mirror polish.

v) 3'-10" high boxing (10" x 10") made with 18 mm thick plywood/ commercial board finished with 1 mm thick laminate including Providing and fixing 6 mm thick square frosted glass at a height 3' -2" above finished floor level

vi) Glazed partition having height 1'-0" above the transaction top (in facia ) shall be provided with 12mm thick glass (clear) with cut out 8" X 4" as per drawing. The edge of cut out and the top edge of glass are to be mirror polished and to be fixed to partition as per fixing details and to boxing with concealed S.S. finished 'D' brackets as shown in glass (Clear) above the slit to be fixed to partition as per fixing details and to boxing with concealed S. S. finished 'D' brackets as shown in the drawing. The exposed edges shall be finished in mirror polish.

vii) Vertical supports made with 18 mm thick plywood/ commercial board finished with white enamel paint.

viii) 7' -7" high Boxing (10" X 10") made with 18 mm thick plywood/ commercial board as per drawing with 1' -6" horizontal extension at the top including providing & fixing 6mm thick square frosted glass at the height of 5' -11" above Finished Floor Level.

ix) 1'-9" high boxing (5" x 5") made with 12 mm thick plywood finished with 1 mm thick laminate.

x) Telescopic CPU stand/ ready made keyboard tray shall be provided of approved model and make.

xi) Footrest made with T.W members of size 4" X 1.5" finished with french polish.

xii) Drawer unit as per drawing shall be provided with multipurpose godrej locks in Each Drawer. Facia of drawer unit shall be finished with 1 mm thick laminate and all other sides shall be finished with white enamel paint. The drawer shall be provided with handels (Stainless Steel finish) and Channels as per approval of the project Consultant/ bank.

xi) Boxing as per drawing made with 12 mm thick plywood finished with Synthetic enamel paint shall be provided below the table top for electrical conduiting and at the bottom for the Lan Cabling /telephone wire Conduiting.

the item to include all necessary hardware and fitting in stainless steel finish, lipping to all edges and making provision only for electrical fitting behind the front. Vertical drop and also in the 10" X 10" boxing as shown in the drawing. Necessary beadings with melamine polish for fixing the glass are to be provided.

Rft 17.00

## 6 Cash Counters

Providing and fixing in position cash counter 2' -9" wide as per drawing no. ( 2-A , 2-B , 2-C , 2 - D, 2 -E, 2 - F ) comprising of the following:

i) Working top made with 19 mm thick plywood/ commercial board finished with 1 mm thick laminate. Outside Edge of the working top shall be provided with 1 1/4" X 1" Teak wood moulding finished with melamine polish.inside edge will be provided with 1/2" X1" T.W. beading patti with melamine polish.

ii) Vertical facia (Apron) made with 18 mm thick plywood/ commercial board finished with 1 mm thick laminate with 1 mm thick Groove at the joint of laminates of two differents shades

iii) Vertical drop (horizontal band ) shall be provided of facia below the working top made with 18 mm thick plywood/ commercial board finished with 1 mm thick laminate with provision for concealed light, 1 mm thick groove shall be provided at the joint of two different shades of laminate.

iv) Glazed partition of 1' -4" height above working top provided with 12 mm thick toughened and frosted glass beside non-transparent film from inside fixed to partition as per fixing details and to boxing with concealed S.S finished in mirror polish.

v) Transaction top shall be provided with 12mm thick toughened glass (partly glazed partly frosted) fixed horizontally with concealed stainless steel D bracket. Both exposed edge (inside and outside) shall be moulded and finished in mirrior polish.

vi) Glazed partition having height 1'.0" above the transaction top (in facia ) shall be provided with 12mm thick glass (clear) with cut out 8" X 4" as per drawing .the edge of cut out and the top edge of glass are to be mirror polished and to be fixed to partition as per fixing details and to boxing with concealed S.S finished ' D' brackets as shown in glass (Clear) above the slit to be fixed to partition as per fixing details and to boxing with concealed S. S. finished 'D' brackets as shown in the drawing.The exposed edges shall be finished in mirror polish.

viii) 7'-7" high Boxing (1 0"x 1 0") made with 18mm thick plywood/ commercial board as per drawing with 1-6" horizontal extension at the top including providing' and fixing 6 mm thick square frosted glass at a height of 5" - 11" above Finished Floor level

ix) 1'-9" high boxing (5"x 5") made with 12 mm thick plywood finished with 1 mm thick laminate are to be provided.

x) Telescopic CPU Stand/ ready made Keyboard tray shall be provided of approved model and make.

xi) Footrest made with T.W. member of size 4"X1 1/2 "finished with french polish.

xii) Drawer units as per drawing shall be provided and each drawer should have vertical partitions for keeping the currency notes and multipurpose Godrej locks. Facia of drawer unit shall be finished with 1 mm thick laminate and all other sides shall be finished with white enamel paint The drawers will be provided with handles (Stainless Steel finish) and channels as per approval of the Project Consultant / Bank.

xi) Boxing as per drawing made with 12mm thick plywood finished with Synthetic enamel paint shall be provided below the table top for electrical conduiting and at the bottom for the LAN Cabling/ Telephone wire conduiting. The item to include all necessary hardware and fittings in Stainless Steel finish, lipping to all edges and making provision only for electrical fitting behind the Vertical drop and also in the 1 0"x1 0" boxing as shown in the drawing. Necessary beadings with matching melamine polish for fixing the glass are to be provided as per drawing/ as directed.

**7 Partly Glazed Full Height Partition**

Providing and fixing in position partly glazed Full Height Partition work as shown in the drawing nos. (3) & (4) including door as shown in the drawing No.(13) in frame work at 2' x 2' grid (horizontally and vertically) comprising of 2" x 1.5" TW/ HW. Section and/ or as per frame work shown in the drawings with 6mm plywood on both sides finished with 1 mm thick laminates of approved shade and colour as shown in drawings. Item to include 8 mm thick glass with etching and frosting as per design and 2"x 2" TW.

member for door sides and glass sides and TW. door frame to take 8 mm thick glass with etching and frosting. All exposed TW. surfaces to be finished in melamine polish of matching laminate colour as directed including all necessary Stainless Steel finish fittings! hardware, door closers, Godrej locks and wood preservative paint etc. as per list of approved material and as approved by the Project Consultant/ Bank complete in all respects.

(Note: In case of false ceiling, the vertical TW. members to be fixed with pucca ceiling but the area of partition payable will be below the false ceiling only).

Sqft. 245.00

**8 minor civil works**

L.S.

**9 Partly Glazed Partition for Cash Cabins  
(Including 12 mm thk. Front Glazing)**

Providing and fixing in position 7'-7" high partly glazed partition for Cash Cabins as per drawing nos. (2-A, 2-B, 2-C, 2-D & 2-E) including door drawing no.(12) in frame work at 2' x 2' grid (horizontally and vertically) comprising of 2" x 1.5" TW/ HW. Section and/ or as per frame work shown in the drawings with 6mm plywood on both sides finished with 1 mm thick laminates of approved shade and colour as shown in drawing. Item to include 8 mm thick Glass with etching and frosting as per design and 2"x 2" T W/ HW. member for door sides and glass sides and TW. door frame to take 8 mm thick glass with etching and frosting.

The door will be provided with TW/HW. louvers finished in melamine polish of matching laminate colour. The doors are also to be provided with Godrej Night Latch. Two wooden trays are also to be provided as per drawing. Necessary cutouts are to provided in the glass and the edges of the glass cutouts are to be finished in mirror polish. All exposed TW. surfaces to be finished in melamine polish of matching laminate colour as directed including all Necessary Stainless Steel finish fittings/ hardware, door closers, Godrej locks and wood preservative

paint etc. as per list of approved material and as approved by the Project Consultant/ Bank complete in all respects.

Sqft. 265.00

**10 Manager's Table/ Officer's Table**

Providing and fixing in position Officer's Table of size 5'-6" x 2'-3" as per drawing no. (5) including Side Storage (Credenza) by using 19mm thick plywood/ commercial board for top and 18 mm thick plywood/ commercial board for all other horizontal and vertical members. Telescopic CPU Stand/ ready made Keyboard tray shall be provided of approved model and make. Footrest made with TW member of size 4"x 1 .5" finished with french polish. Side Storage (Credenza) as per drawing shall be provided. Facia of Side Storage (Credenza) shall be finished with 1 mm thick laminates as shown in the drawing and all other sides shall be finished with white enamel paint. The Side Storage (Credenza) shall be provided with handles (Stainless Steel finish) and channels as per approval of the Project Consultant I Bank.

All exposed plywood surfaces to be finished with 1 mm thk. laminate of approved make & verticals to have 1" x 1/4" T.W.lipping. All exposed T.W. sections to be melaminated and internal Surfaces to have white enamel paint as directed. Item to include plywood boxing, all necessary hardware and fittings in Stainless Steel finish, lipping to all edges etc. complete in

No.

2.00

**11 Clerk Table**

Providing and fixing in position Staff Table of size 4' 3"x 2' 0" as per drawing No.(5) by using 18mm thick plywood/ commercial board for top and 18 mm thick plywood/ commercial board for all other horizontal and vertical members. Telescopic CPU Stand/ ready made Keyboard tray shall be provided. Drawer units as per drawing shall be provided with multipurpose Godrej locks in each drawer. Facia of drawer unit shall be finished with 1 mm thick laminate and all other sides shall be finished with white enamel paint The drawers will be provided with handles (Stainless Steel finish) and channels as per approval of the Project Consultant Bank.

All exposed plywood surfaces to be finished with 1 mm thk. laminate of approved make & shade, and all exposed edges of table top & ply verticals to have 1" x 1/4" T.W..lipping. All exposed TW. sections to be melaminated and internal surfaces to have white enamel paint as directed. The item to include plywood boxing, all necessary hardware and fittings in Stainless Steel finish, lipping to all edges etc. complete in all respects.

No. 1.00

**12 VENETIAN BLIND**

Providing and fixing in position Vertical blinds of Vista/ Sun as per Approved colour scheme & direction of the Architect. .

Sqft. 150.00

**13 MISCELLANEOUS WORKS**

- a** Notice board with cellotex base & cloth bound in corporate coloured banded with teak wood lipping of 35 by 12 mm.size 1500X1200

pc. 1.00

**b Writing Ledge and Suggestion Counter**

Providing and fixing in position a writing counter with open storage made of 12mm and 19mm thick ply/ commercial board finished with 1.0mm laminate and teak wood moulding/ lipping with a 6mm glass top with polished edges as per drawing and design. The glass to be of size to fit internally and the 19mm border and 6mm lipping to be flushed with the glass. The storage unit shall consist of vertical space dividers of 12 mm board with 1.0 mm laminate till the glass top for the provision of holding withdrawl/ deposit slips stationery etc. The counters to be held in position around the columns by dash fastners at a height of 3.5/ 4 ft. All wooden surfaces to be finished in clear melamine polish and all unexposed sides to be finished in enamel paint of approved colour to be approved by the designer all complete as per detailed drawing, specification and direction of the Engineer in Charge.

pc. 1.00

<b>14</b>	<b>CHAIRS</b>		
<b>a</b>	<b>Manager Chair</b>		
	Providing and placing in position high back ,revolving and tilting , chair on castors. (MI 223 of Modern Industries/ Swastika)	Nos	1.00
<b>b</b>	<b>Officers Chair/ Clerks chairs</b>		
	Providing and placing in position low back chair ,revolving and tilting chair with castors with arms. (MI 201 of Modern Industries/ Swastika.)	Nos	7.00
<b>c</b>	<b>Visitors chair</b>		
	Providing and placing in position low back chair, non push back and and non hydraulic chair without castors with arms and fixed base. (MI 225 of Modern Industries/ Swastika)	Nos	4.00
<b>d</b>	<b>Visitor Sofa</b>	Nos	3.00
<b>16</b>	<b>MISCELLANEOUS WORKS</b>		
<b>a</b>	<b>Shutter boxing &amp; Meter Boxing</b>		
	Shutter boxing & Meter Boxing made of 19 mm ply/ commercial board including hatch for pulling down & up the rolling shutter .the box to be laminated with laminate of 1.0 mm completed to the satisfaction of architect The box to be painted/ laminated as per Architects direction.This also includes main pannel boxing.	Sqft.	75.00
<b>15</b>	<b>FLOORING</b>		
	Providing and laying of 2' x 2' Vitrified tile flooring of approved make & shade viz. RAK (IMP- OFGY) or EURO (ATHENA) or similar make over necessary leveling Screed of 1:4 cement mortar (20mm thick) with proper slope wherever required including pointing of the joints with white Cement and machine pigments, curing etc. complete in all respects (excluding toilets and Non-Customer area) incldying manager cabin including 4" skirting wherever necessary.	Sqft.	895
<b>GRAND TOTAL</b>			

**Ar. Gunjan Kapur**  
(Gunjan And Associates)